

Atoms for Peace and Development

الوكالة الذرية 国际原子能机构 International Atomic Energy Agency Agence internationale de l'énergie atomique Международное агентство по атомной энергии Organismo Internacional de Energía Atómica

National Liaison Officers /

National Coordinators

Vienna International Centre, PO Box 100, 1400 Vienna, Austria Phone: (+43 1) 2600 • Fax: (+43 1) 26007 Email: Official.Mail@iaea.org • Internet: https://www.iaea.org

In reply please refer to: ME-RER9157-2503902 Dial directly to extension: (+43 1) 2600-22409

2025-07-16

Subject: Regional Workshop on Radiation Protection of Patients in Computed Tomography and Recurrent Imaging Practices, Vienna, Austria, from 4 to 5 December 2025

Dear National Liaison Officer / National Coordinator,

I am pleased to inform you, that the International Atomic Energy Agency (IAEA) is organizing the above event under the IAEA technical cooperation project RER9157, "Strengthening Implementation of the Justified and Optimized Use of Ionizing Radiation in Medicine".

The purpose of the event is to provide participants with specific information on patient radiation protection, including level of appropriateness in recurrent imaging modalities, identification of high-dose examinations and optimization of exposure levels in Computed Tomography (CT).

The attached Information Sheet provides further details, including technical and administrative aspects of the event. Selection of participants will be in accordance with IAEA procedures. Member States are strongly encouraged to identify women participants.

We would appreciate receiving your country's nominations by **29** August **2025** through the IAEA's InTouch+ platform (<u>https://Intouchplus.iaea.org</u>). Please be advised that late nominations or replacements of participants after the closing date for nominations will not be accepted.

We look forward to receiving your early response.

Yours sincerely,

Allelaunyaa

Anna Melkumyan Programme Management Officer Division for Europe Department of Technical Cooperation

Enclosure: Information Sheet